Royal Samaritan Hospital for Women

Glasgow


MEDICAL REPORT



Royal Samaritan Hospital for Women

Glasgow

MEDICAL REPORT



ROYAL SAMARITAN HOSPITAL for WOMEN

(Incorporated by Act of Parliament.)

Patrons Their Majesties The King and The Queen

President.
Sir JOHN STIRLING MAXWELL, Bart., K.T., LL.D., D.L.

Chairman of Governors. THOMAS MACQUAKER, Esq.

Vice-Chairman. Sir WILLIAM H. RAEBURN, Bart., D.L.

Governors

dovernors.	
THOMAS MACQUAKER, Esq Sir WILLIAM H. RAEBURN, Bart., D.L	
ARCHIBALD SPEIRS, Esq., J.P The Hon. GODFREY CORBETT,	Elected by Members.
M.C., D.L ROBERT CLARK, Esq Dr. W. D. MACFARLANE	
Lady STIRLING MAXWELL, J.P Lady MECHAN Mrs. O. R. HATRICK	Nominated by Ladies' Auxiliary Association.
Miss ELEANOR STEWART, J.P Miss REBECCA S. T. GROSVENOR DUNCAN TURNBULL, Esq	Nominated by Employee Subscribers.
Councillor MARY A. SNODGRASS JOHN C. DRUMMOND, Esq)	Appointed by the Corporation of Glasgow
Prof. JOHN M. MUNRO KERR, M.D.	Appointed by the University Court.
Prof. GEOFFREY B. FLEMING, B.A., M.D.	Appointed by the Senate of the University.
D. NORMAN SLOAN, Esq	Appointed by the Merchants' House.
JAMES S. SPENCER, Esq., J.P	Appointed by the Trades' House.
ROBERT BARCLAY NESS, Esq., M.A., M.B., C.M	Appointed by the Royal Faculty of Physicians and Surgeons.
WILLIAM J. TAYLOR, Esq	Appointed by the Faculty of Procurators
Auditors.	

Auditors.
WILSON, STIRLING & CO., C.A.

Secretary and Treasurer.
T. MASON MACQUAKER, M.A., B.L.
Office—191 West George Street.

MEDICAL OFFICERS,

Consulting Surgeon.

J. NIGEL STARK, M.D., C.M., F.R.F.P.S.G.

Surgeons.

DAVID SHANNON, D.L., T.D., M.B., Ch.B., F.C.O.G., L.M. J. T. WEST, M.B., Ch.B. JOHN GARDNER, M.D. DONALD M'INTYRE, M.B.E., M.D., F.R.C.S.E., F.R.F.P.S.G., F.C.O.G., L.M., F.R.S.E.

Assistant Surgeons.

JOHN PATON, M.D., F.R.F.P.S.G.
NORMAN DAVIDSON, O.B.E., M.B., Ch.B.
JOHN HEWITT, M.B., Ch.B., M.C.O.G.
AMY M. FLEMING, B.Sc., M.D., M.C.O.G.
J. LESLIE ORR, M.B., Ch.B., F.R.F.P.S.G.

Anæsthetists.

ALEXANDER FRASER, M.A., M.B., Ch.B. NEIL M. HUTCHISON, M.B., Ch.B. CATHERINE HARROWER, M.B., Ch.B.

Pathologist.

AMY M. FLEMING, B.Sc., M.D., M.C.O.G.

DISPENSARY OFFICERS.

ELLEN D. MORTON, M.B., Ch.B.
IAN MACPHERSON, M.B., Ch.B., F.R.C.S. (Ed.)
ALBERT SHARMAN, B.Sc., M.B., Ch.B., M.C.O.G.

Extra Dispensary Officers.

WILLIAM CLEMENT, M.B., Ch.B.
BERYL PRIDEAUX LYE, M.A., M.B., Ch.B., F.R.C.S. (Ed.)
W. G. MACKAY, M.B., Ch.B.
DAVID F. ANDERSON, M.B., Ch.B.

Matron Miss BROWN, A.R.R.C.

LECTURESHIP AND SCHOLARSHIP Associated with the Hospital.

University Lectureship (The Royal Samaritan Lectureship in Gynæcology)—DAVID SHANNON, D.L., T.D., M.B., Ch.B., F.C.O.G., L.M.

The Muirhead Research Scholarship—MABEL M. MACLEAN, M.B., Ch.B.

FOREWORD.

On behalf of the Governors of the Hospital I have again to express their grateful appreciation of the very valuable work accomplished by the Medical Staff as recorded in the following pages. Reviews of the previous Reports encourage the Governors to continue the publication of these Medical Statistical details separately and apart from the ordinary Annual Report, as it is recognised that they have a different appeal and should have an entirely different circulation. It is hoped that this record will be found of interest and value not only to Obstetricians and Gynæcologists, but also to general medical practitioners.

Special acknowledgments are due to Dr. Donald M'Intyre for preparing the original Schedule of Diseases and collecting, classifying and compiling the Statistics for this and previous Reports, and also to Dr. W. G. Mackay for his services in again arranging the present Report.

THOS. MACQUAKER, Chairman of Governors, Royal Samaritan Hospital for Women.

Glasgow, June, 1932.

The Report deals with patients in the wards of the Hospital who were discharged during the year, 1931. The tabulation and classification of the details are similar to those employed in previous Reports. The explanation of the system of collecting and arranging the material has not been reprinted. The separate table devoted to Primary Conditions has been omitted from the present Report the information being incorporated in the table of Total Pathological Conditions.

TABLE I.

Total n	umber of	patients	• • •	•••	3,176*
,,	,,,	operations	•••	•••	2,833
Mortali	ty	•••	•••	•••	1.23%

^{*} Corrected for readmissions.

TABLE II.

NATIONALITIES.

Scottish	•••	•••	• • •	•••	•••	2,867
Irish,	•••	•••	•••	• • •	•••	145
English	•••	•••	•••	• • •	•••	136
Russian	•••	•••	•••	• • •	•••	8
Lithuanian	•••	•••	•••	•••	• • •	5
American	•••	• • •	•••	•••	• • •	4
Canadian	•••	•••	•••	• • •	•••	2,

Polish

Welsh	•••	•••	•••	•••	•••	2	
Australian	• • •	•••	•••	•••	•••	I	ŕ
Austrian	•••	• • •	•••	•••	•••	I	
French	• • •	•••	•••	•••	•••	I	
German	•••	• • •	•••	•••	•••	I	
Indian	• • •	•••	•••	• • •	•••	I	
			 E III.			·	
Etiological Fac	tors (involv	ed in		roducti	on of	the
(The sum total patients, as frequ				•			
Total number in bearing was a					with o	child	881
Total number in was as							402
Total number in bearing was as		•					7,191
Total number in was present		Ŭ		`			607
Total number whe	re erro	r of de	evelopn	nent ap	pears	• • •	219
Total number who	ere ca	use do	es not	belong	g to al	oove	
groups	• • •	• • •	• • •	•••	•••	• • •	330
No appreciable dis	ease	•••	•••	•••	• • •	•••	264

TABLE IV.

The Etiological Factors for individual patients summarised according to the following numbered list:—

- I. Infection associated with child bearing.
- 2. Infection unassociated with child bearing.
- 3. Injury associated with child bearing.
- 4. Newgrowth (Tumour or Cyst).
- 5. Error of development.
- 6. Other than the above causes.
- 7. No appreciable disease.

ı	•••	435	3 and 6	•••		22
2	•••	240	4 and 5	•••	•••	5
3	•••	78I	4 and 6	•••	•••	15
4	•••	360	5 and 6		•••	2
5	•••	192	1, 2 and 3	• • •	•••	10
6	•••	246	I, 2 and 4	•••		14
7	•••	264	I, 2 and 6	• • •	•••	I
1 and 2	•••	24	1, 3 and 4	•••	•••	19
1 and 3	•••	270	1, 3 and 6	•••	•••	6
1 and 4	•••	73	I, 4 and 6	•••	•••	I
1 and 5	• • •	4	2, 3 and 4	•••	•••	I
I and 6	• • •	23	2, 3 and 5	•••	•••	I
2 and 3	• • •	24	2, 3 and 6	• • •	•••	I
2 and 4	•••	60	2, 4 and 5	• • •	•••	I
2 and 5	•••	13	2, 4 and 6	•••	•••	I
2 and 6	•••	10	3, 4 and 6	•••	•••	2
3 and 4	-	54	I, 2, 4 and 5	• • •	•••	I

Total, ... 3,176

TABLE V.

OPERATIONS.

Total operations by the abdominal route	• • •	857
Total operations by the perineal route	• • •	2,178
		(
Abdominal operation alone	• • •	639
Abdominal operation plus major vaginal operation	•••	6
Abdominal operation plus minor vaginal operation	• • •	212
Major vaginal operation alone	•••	249
Minor vaginal operation alone		1,711
Operations not classifiable under above		16
Total,	• • •	2,833
*Remainder (treatment under anaesthesia other	than	
operative)	• • •	IOI
Examination under anaesthesia	•••	69
No operation performed	•••	188
In some cases a patient has undergone more operation.	e than	one

^{*} Insertion of Pessary, Radium Application, etc., etc.

TABLE VI.

TOTAL PATHOLOGICAL CONDITIONS.

This list records the different Pathological Lesions encountered in the 3,176 patients under consideration, and like Table III. the total number does not correspond to the number of patients as, in one patient, two or even three conditions may be present.

				TADLE
Schedule Number.	Disease	Number of Cases.	Average Age.	Number Married.
			Α.	REGIO Vul
2	Imperforate hymen	2	26	2
	Adhesion of labia	ī	47	-
ى 5	Syphilis	I	39	I
3 5 8	Ulceration (benign)	2	24	ī
II	Abscess of Bartholin's Gland	9	39	9
13	Dermatitis	ĺ	44	
14	Eczema	4	41	4
15	Pruritus	3	45	2
16	Leucoplakia	I	54	I
20	Hypertrophy of labium minus	I	33	• • •
22	Lipoma	I	36 60	I
26	Epithelioma	5		5
27	Adeno-carcinoma	I	28	I
30	Sarcoma	I	16	• • •
31	Cyst of Bartholin's Gland (or Duct)	14	41	14
33	Varicose Veins	I .	23	I
36	Unclassified (diseases restricted to			
	vulva)	6	33	5
				VAG
37	Stenosis of vaginal orifice (congenital)	8	28	7
38	Atresia of vagina	I	37	I
41	Vaginal cyst (Gartner's duct)	I	24	I
42	Vaginismus	4	31	4
44	Acute vaginitis	I	21	•••
45	Chronic vaginitis	II	36	6
46	Senile vaginitis	2	57	2
47	Stenosis of vagina (inflammatory in			
	origin)	6	41	4

	Parc	ous		es in	er of tl.	es in	cases in Iditional esent.	cases in lditional present.	*.sq
Percentage.	Average Number of Children.	Average Number of Miscarriages.	Average Number of years since last Pregnancy.	Number of cases which operation was performed.	Average Number days in Hospital.	Number of cases which lesion was primary.	Number of cases in which one additional lesion was present.	Number of cases in which two additional lesions were present.	 Number of Deaths.*
NAL. va.									
• • •	• • •	•••	•••	2	8	2	I	•••	* * *
100	10	•••	т <u>4</u>	I	17	I	•••	•••	• • •
50	2	•••	$\frac{1}{2}$	2	9 10	I	ı	•••	• • •
50 67	3	.17	$ \begin{array}{c c} 1\frac{4}{12} \\ 2 \\ 4\frac{3}{12} \end{array} $	7	13 14	7	2	•••	• • •
100	5	•25	$10\frac{1}{12}$ $12\frac{6}{12}$	3	24	I 2	•••	2	•••
67 100	5 13	I	$12\frac{6}{12}$	3 2 1	24 15 33	3	I		•••
100	4	•••	21	i	33	I	I	•••	• • •
•••	• • •	•••	•••	I	14 16	I	•••	• • •	• • •
100	5 2	•6	$23\frac{7}{12}$	3		4	I	•••	I
100	2	•••	5		24 38	•••	• • •	I	• • •
 94	4	•23	9	1 14	11 22	I	1 2	3	
100	I		$2\frac{10}{12}$	I	16	I			• • •
50	2		7	4	18	5	2	•••	•••
			•						
INA.					-				
13	I	•••	I	8	13	7	3	•••	•••
	•••	•••		I	7	I	I		•••
100	I		2	1 4	9 11	3	2	I	• • •
•••	• • •				4	I	•••	•••	•••
45	5 2	1.4	$7\frac{1}{12}$	8	12	6	6	•••	•••
100	2	•••	21	2	10	I	Ι	•••	• • •
67	4	1.75	$6_{\frac{6}{12}}$	6	10	4	4	•••	•••

^{*} Deaths are shown opposite primary, additional and terminal conditions, i.e., opposite each pathological lesion when more than one was present in the same patient.

			LABLE
Disease	Number of Cases.	Average Age.	Number Married.
Foreign body in vagina (including neglected pessaries) Simple ulceration Vaginal cyst (neoplastic) Epithelioma Unclassified diseases restricted to vagina)	1 1 3 2	26 18 27 47 38	3 2 4
Absence of uterus Underdevelopment of uterus—major degree (including rudimentary and	I	24	UTE I
infantile uterus) Underdevelopment of uterus—minor degree (including cases of acute	10	22	2
Uterus bicornis unicollis Atresia of cervix Membranous dysmenorrhoea Acute metritis and endometritis Chronic corporeal endometritis Senile endometritis Senile endometritis with pyometra Tuberculosis of endometrium Chronic cervical endometritis Chronic endometritis and endocervicitis Cervical erosion Cervical erosion and endocervicitis Chronic metritis Chronic metritis Chronic metritis of endometritis Chronic metritis Chronic metritis of endometritis Chronic metritis of endometritis	1 1 2 318 10 2 1 38 34 215 29 156 53	29 32 19 20 32 57 64 31 37 36 32 34 39 39	83 I I 282 IO I I 33 30 I92 28 I48 53
	Foreign body in vagina (including neglected pessaries)	Foreign body in vagina (including neglected pessaries)	Foreign body in vagina (including neglected pessaries) I 18 Vaginal cyst (neoplastic) 3 27 Epithelioma 2 47 Unclassified diseases restricted to vagina) 5 38 Absence of uterus I 24 Underdevelopment of uterus—major degree (including rudimentary and infantile uterus) 10 22 Underdevelopment of uterus—minor degree (including cases of acute anteflexion with dysmenorrhoea and sterility) I 29 Atresia of cervix I 29 Atresia of cervix I 32 Membranous dysmenorrhoea I 19 Acute metritis and endometritis 2 20 Chronic corporeal endometritis 2 20 Chronic corporeal endometritis 10 57 Senile endometritis with pyometra 2 04 Tuberculosis of endometrium I 31 Chronic ervical endometritis 10 57 Senile endometritis and endocervicitis 38 Cervical erosion 215 Cervical erosion and endocervicitis 29 Chronic metritis and endometritis 156 Specification in 158 Specification in 156 Specification in 158 Specificatio

V 1.									
	Par	ous		es in	er of J.	es in	es in onal	es in ional	hs.*
Percentage.	Average Number of Children.	Average Number of Miscarriages.	Average Number of years since last Pregnancy.	Number of cases which operation was performed.	Average Number days in Hospital.	Number of cases which lesion was primary.	Number of cases ir which one additional lesion was present.	Number of cases in which two additional lesions were present.	Number of Deaths.*
100 67 	2 2 	•••	$2rac{4}{12}$ I	1 1 3 	12 11 15 11	I I 3 2	 I 	•••	•••
60	3	.33	$10\frac{2}{12}$	5	15	5	•••	•••	•••
RUS.	• • •	• • •	•••	•••	2	I	•••	•••	• • •
•••	•••	•••	•••	8	12	8	2	•••	•••
7 100 50 83 100 100 87 85 86 97 94 96	1 4 4 3 6 3 4 4 4 4 4	·9 ··· 3 ·64 I·2 ·· · · · · · · · · · · · · · · · ·	$ \begin{array}{c} 1\frac{8}{1^{\frac{2}{2}}} \\ 2\frac{7}{1^{\frac{2}{2}}} \\ \cdots \\ \frac{1}{1^{\frac{2}{2}}} \\ 4\frac{8}{1^{\frac{2}{2}}} \\ 22 \\ 38 \\ \cdots \\ 6\frac{7}{1^{\frac{2}{2}}} \\ 6 \\ 4\frac{3}{1^{\frac{2}{2}}} \\ 4\frac{11}{1^{\frac{2}{2}}} \\ 7\frac{9}{1^{\frac{2}{2}}} \\ 7\frac{1}{1^{\frac{2}{2}}} \end{array} $	141 1 1 2 312 8 2 1 32 34 213 28 148 53	9 21 9 5 14 13 17 24 30 14 17 15 15 22 19	138 1 1 2 245 10 2 1 31 28 117 22 125 40	21 112 2 12 12 90 17 77 24	I I I 3I I 3 2 44 3 51 14	 3 I
92	4	.33	$7^{\frac{2}{12}}$	62	19	43	30	16	I

				IABLE
Schedule Number.	Disease	Number of Cases.	Average Age.	Number Married.
				UTERUS
81	Simple adenoma of endometrium	6	34	5
82	Simple adenoma of cervix	2	51	ī
83	Simple general hypertrophy of		0	
84	uterus	3	28	I
04	Elongation of vaginal cervix (congenital)	3	33	3
85 & 86	Fibromyoma of body of uterus single-	3	33	3
	subserous	17	37	16
87 & 88	Fibromyoma of body of uterus single-			
89 & 90	intramural Fibromyoma of body of uterus single-	33	40	27
0 9 a 90	submucous	10	41	7
92	Fibromyoma of body of uterus single-		•	
- 1	intraligamentary, with non-			
0	malignant secondary change	I	4I	•••
93 & 94	Multiple fibromyomata of uterus	73	43	55
95 96	Fibromyoma of cervix Fibromyoma of cervix, with non-	3.	48	I
90	malignant secondary change	2	44	I
97	Mucous polypus of body	13	49	11
98	Mucous polypus of cervix	39	45	35
99	Fibroid or fibro-adenomatous polypus	6	16	6
TOO	of body Fibro-adenomatous polypus of cervix	6	46	6
100 101	Adeno-myoma	3 3 8	47	2.
105	Carcinoma of cervix—operable	8	34 48	7
106	Carcinoma of cervix—inoperable	53	5 ¹	3 7 52
107	Adenocarcinoma of body of uterus	21	57	17
108	Adenocarcinoma of body of uterus,			
	with fibromyoma	2	60	I
110	Delayed involution—superinvolution	2	31	2
				1

V 1.		_							
	PAR	ous		es in	er of	es in	es in ional nt.	es in tional	hs.*
Percentage.	Average Number of Children.	Average Number of Miscarriages.	Average Number of years since last Pregnancy.	Number of cases which operation was performed.	Average Number days in Hospital.	Number of cases which lesion was primary.	Number of cases ir which one additional lesion was present.	Number of cases in which two additional lesions were present.	Number of Deaths.*
-Contd.									
50 50	I 12	 I	$15\frac{1}{12}$	6 2	19	5 2			•••
33	7	•••	5	3	12	2	2	•••	•••
3 3	I	• • •	3	3	14	2	3	•••	•••
76	2	.46	$7\frac{9}{12}$	16	24	12	6	5	•••
61	3	.5	$12\frac{3}{12}$	32	23	26	14	5	•••
50	3	•4	15	10	25	6	5	I	• •
100 56 33	1 3 1	37	$egin{array}{c} { m I}rac{6}{12} \ { m II}rac{9}{12} \ { m I2}rac{6}{12} \end{array}$	1 71 3	21 22 26	1 62 3	1 37 1	 II 	6
50 85 79	7 5 4	 1·18 ·61	3 14 12 ³ / ₁₂	2 13 39	17 16 15	2 9 28	 6 17	 1 6	•••
100 33 33 88 91 71	6 5 3 6 5 5 5	·67 2 ·57 ·71 ·47	$ \begin{array}{c c} 7\frac{2}{12} \\ 3 \\ 20 \\ 15\frac{10}{12} \\ 17 \\ 22\frac{5}{12} \end{array} $	6 3 8 4 10	15 23 21 28 16 23	5 1 3 8 53 20	2 I 2 I I 3	 I I 	 2 2
50	5		$\begin{array}{c c}24\\\frac{2}{12}\end{array}$	2 2	31 20	2 2		I	•••

				TABLE
Schedule Number.	Disease	Number of Cases.	Average Age.	Number Married.
111 112 113 114 115 116 117 120	Chronic subinvolution Placental polypus Retained products of conception Abortion—threatened Abortion—incomplete Abortion—missed Hydatidiform mole Chorionepithelioma Unclassified (diseases restricted to	130 3 5 3 55 1 2	38 34 30 31 32 26 46 32	UTERUS 129 3 5 2 49 1 2 1
124	uterus)	15	38	12
130 132 133 139 140 141 142 143 144	Serosal cysts	2 8 18 5 1 6	48 33 31 32 35 29 30 35 - 33	TUBES 2 8 15 5 1 6 1 2
148	Fallopian tubes)	6	30	6 Ova
152	Rudimentary ovaries	2	29	I
153	Sclerosis of ovary	25	38	24
154	Small cystic degeneration of ovary Simple serous cyst	221	34 31	182
155	Simple scrous cyst	5	31	4
-				

v									
	Pare	OUS		ss in	r of 1.	s in	es in onal	cases in lditional present.	hs.*
Percentage.	Average Number of Children.	Average Number of Miscarriages.	Average Number of years since last Pregnancy.	Number of cases which operation was performed.	Average Number days in Hospital.	Number of cases which lesion was primary.	Number of cases ir which one additional lesion was present.	Number of cases in which two additional lesions were present.	Number of Deaths.*
-Contd. 99 100 100 100 100 100 100 100	5 5 2 2 3 10 2	·67 ·67 ·6 · ·84 · 4	$\begin{array}{c} 5_{1}^{7} \\ 4 \\ 1_{12}^{2} \\ 4_{12}^{2} \\ 1_{12}^{11} \\ \dots \\ 1_{12}^{9} \\ 1 \end{array}$	129 3 5 54 1 1	18 12 12 13 15 9 12 22	105 2 5 3 51 1 2	37 I I 9 I	40 4	2
60	5	•89	$13\frac{4}{12}$	10	14	15	3	•••	• • • •
100 75 56	7 2 2	·5 ·83 ·7	$\begin{array}{c} 11\\ 8\frac{11}{12}\\ 6\end{array}$	2 8 17	21 22 18	2 5 14	1 5 5	1 2 6	 I
100	2 2	·6	$4\frac{\frac{9}{12}}{2\frac{6}{12}}$	5 1	20 23	15	I 	I 	•••
100	I	•17	$4\frac{6}{12}$	5	24	5	•••	I	I
100	4	···	$3\frac{3}{12}$	I 2	19 24	I	 I	•••	• • •
100	2	• • •	10	I	18	I	•••	•••	• • •
83	2	•6	$5\frac{7}{12}$	5	20	3	3	I	• • •
RIES. 96 73 60	 3 3 2	 1 	$7 \ 5\frac{10}{12} \ 6\frac{6}{12}$	2 25 220 5	14 22 22 22 22	1 4 86 5	 15 113 2	1 9 52 	3

TABLE

				IABLE
Schedule Number.	Disease	Number of Cases.	Average Age.	Number Married.
156 157 158 159 161 162 165 169 171 172 173 174 176 179 181 182	Cyst of corpus luteum Pseudomucinous cystadenoma Pseudomucinous cyst-adenoma, with torsion of pedicle Pseudomucinous cyst-adenoma, with malignant transition Serosal cyst-adenoma Serosal cyst-adenoma Serosal cyst-adenoma, with torsion of pedicle Dermoid cyst Tarry cysts of ovary (endometrioma) Carcinoma—primary Carcinoma—metastatic Malignant teratoma Fibroma Fibromyoma Fibromyoma Covarian pregnancy Unclassified (diseases restricted to	5 25 3 2 4 1 13 8 10 1 1 1 3 1	29 39 37 44 38 32 39 38 48 28 52 31 48 26 33	OVA 5 16 2 1 4 1 10 4 7 1 1 2 1
183 184 185 186 187 188 189 190	Fimbrial cyst Epoophoritic cyst (parovarian) Pelvic cellulitis Pelvic cellulitis, with abscess formation Pelvic peritonitis Pelvic peritonitis (encysted) Peritoneal adhesions (post-operative) Pseudomucinous cyst-adenoma of ovary in broad ligament Varicocele of broad ligament	8 LIGAME 4 2 3 1 3 3 7 1 1 1	44 NTS, PER 28 33 31 41 31 31 33 44 28	7 ITONEUM 4 I 3 I 1 1 I

V 1.								_	
	Parc	ous		es in	er of	es in	cases in Iditional esent.	es in ional	hs.*
Percentage.	Average Number of Children.	Average Number of Miscarriages.	Average Number of years since last Pregnancy.	Number of cases which operation was performed.	Average Number days in Hospital.	Number of cases which lesion was primary.	Number of cases ir which one additional lesion was present.	Number of cases in which two additional lesions were present.	Number of Deaths.*
RIES—	Contd.								
80 52	2 4	·75 ·38	$3\frac{9}{12}$ $10\frac{2}{12}$	5 25	24 24	18	2 8	4	•••
67	2	• • •	$2\frac{6}{12}$	3	34	3	2	• • •	•••
50 50	3 2	•••	$\begin{array}{c c} 4 \\ 12\frac{6}{12} \end{array}$	1 4	11 20	I 2	 3		I
100 77 38 80	4 3 1 2	 :3 I	$\begin{array}{c c} 1\frac{7}{12} \\ 5\frac{11}{12} \\ 6\frac{11}{12} \\ 13\frac{11}{12} \end{array}$	1 13 8 10	22 22 25 20	 10 3 10	 3 2 3	5 3	 I 2
100	2 I	•••	4	•••	8	I		• • •	• • •
•••	•••	•••	•••	I	29 28	• • • •	I	•••	• • •
 67	4	 I	27	3	29	3	I	I	• • •
100	2	I	5	I.	17		I		•••
100	2	• • •	4	I	21	•••	•••	I	• • •
75	3	1.83	$14\frac{6}{12}$	7	21	6	I	2	* • •
and C	ELLULAR	Tissu							
75	I	.33	$3\frac{1}{1}\frac{0}{2}$	4	23	3	I	•••	•••
50	4 1	I .22	9	2 2	22	1 2	I	•••	• • •
100	1	.33	O	2	17	2	1	•••	• • •
100 °	8	I	8		12	I	•••	• • •	• • •
33	•••	I	3	3	33	I	2	•••	•••
33 86	3		$6_{\overline{12}}^{6}$	3 7	29 26	3 4	2	2	2
• • •		• • •	•••	I I	· 28 25	I	 I	• • •	• • •
					-5				

				IMDLL
Schedule Number.	Disease	Number of Cases.	Average Age.	Number Married.
194	Unclassified (diseases restricted to ligaments, peritoneum and cellular tissue)		nts, Per	ITONEUM 9
205 206 207 208 211 216 219 221 224 227	Acute cystitis Chronic cystitis Pyelitis Pyelonephritis Tuberculosis of kidney Renal calculus Urethral caruncle Papilloma of bladder Polycystic kidney Unclassified (diseases restricted to urinary tract)	1 18 3 1 1 1 32 3 1	34 46 33 49 19 32 51 28 34	URINARY 1 16 3 1 1 28 3 1
232 233	Fibro-adenoma Carcinoma—scirrhus	I I	28 77 B.	BRE I I GENE
238 243	Underdevelopment of complete genital tract Unclassified (but belonging to malformations and errors of development)	MA I 5	LFORMAT 29 21	IONS AND

V 1.									
	Parc	ous		in si	r of I.	s in	ss in onal	cases in Iditional present.	7S.*
Percentage.	Average Number of Children.	Average Number of Miscarriages.	Average Number of years since last Pregnancy.	Number of cases which operation was performed.	Average Number days in Hospital.	Number of cases which lesion was primary.	Number of cases ir which one additional lesion was present.	Number of cases in which two additional lesions were present.	Number of Deaths.*
and C	ELLULAR	Tissu	E–Contd.		ę	(:
42	3	' 4	$4\frac{6}{12}$	10	15	6	6	2	ı
TRACT. 100 83 100 100 100 84 100 100	1 4 5 5 4 4 2 3	 .87 2 i.i .33 i	$ \begin{array}{c c} & 10 \\ & 12\frac{4}{12} \\ & 1\frac{1}{12} \\ & 2 \\ & \dots \\ & 3 \\ & 17\frac{1}{12} \\ & 1\frac{1}{12} \\ & 2 \end{array} $	 I0 I I	19 20 15 24 21 8 13 5 28	I I2 I I I 26 3 I	 7 2 14 I	 I 6 	I
75	2	.83	137	5	14	5	3		• • •
AST. 100 100	3		3 36	I	2, I .	I	•••	I	•••
RAL.									
Errors	of Dev	ELOPM	ENT.						
	•••	•••	• • •	I	7	I	•••	•••	• • •
. •••	•••		•••	3	9	5		•••	•••

Schedule Number.	Disease	Number of Cases.	Average Age.	Number Married.
		DISEA	sed Con	DITIONS
246	Acute salpingo-oophoritis without		22	
247	pus formation Acute salpingo-oophoritis with pus	3	, 32	3
/	formation	4	33	2
248	Chronic salpingo-oophoritis with pus		- (
249	formation Chronic salpingo-oophoritis without	13	36	12
~T 9	pus formation	85	34	8o
250	Salpingo-oophoritis of tuberculous			
055	origin Syphilis	27 I	29	23
255 256	Unclassified (but belonging to diseased	1	19	•••
	conditions resulting from infection)	10	38	9
	Obstet	RIC AND	OTHER I	NJURIES,
				PSE AND
261 262	Injury of urethral sphincter	4 .	47	3
202	Prolapse of urethral mucous membrane	3	42	2
263	Perineal laceration without involve-	3		
262 8r	ment of sphincter ani	191	40	186
263 & 267	Lacerated perineum and lacerated cervix	123	37	121
263 &	Perineal laceration (without involve-		37	
271	ment of sphincter ani) and cystocele	49	47	48
263 & 274	Perineal laceration (without involvement of sphincter ani) and			
2 / 1	incomplete prolapse, with hyper-			
	trophy of vaginal cervix	2	37	2
264 .	Perineal laceration with involvement of sphincter ani	62	22	61 .
	or spinneter and	63	33	01 .

V 1 .									
	Parc	ous		es in	er of d.	es in	es in ional nt.	cases in Iditional present.	hs.*
Percentage.	Average Number of Children.	Average Number of Miscarriages.	Average Number of years since last Pregnancy.	Number of cases which operation was performed.	Average Number days in Hospital.	Number of cases which lesion was primary.	Number of cases ir which one additional lesion was present.	Number of cases in which two additional lesions were present.	 Number of Deaths.*
RESULT	ING FROM	Infec	TION.						
67	2	•5	$3\frac{1}{12}$	2	29	2	2	• • •	•••
50	2	•5	$1\frac{8}{12}$	4	26	3	2	•••	I
69	4	.78	$6_{\frac{9}{12}}$	13	26	8	6	4	I
84	3	•38	$5\frac{9}{12}$	84	23	33	35	33	•••
22	I	•5	$8\frac{5}{12}$	27 I	2I 2I	21	6	7	2
60	6	I	II	10	24	8	I	2	•••
Fistul Herni	AE, DISP	LACEM	ENTS,	And the state of t					
75	3	I	$9\frac{8}{12}$	4	31	4	I	• • •	• • •
67	3	•5	$4\frac{9}{12}$	3	27	3	I	• • •	• • •
100	4	.47	$7\frac{7}{12}$	188	20	110	96	33	I
99	4	•4	$5\frac{1}{12}$	123	20	97	45	4	I
100	5	•63	12	49	22	46	12	2	I
100	5	•••	$4\frac{6}{12}$	2	24	I	I	• • •	•••
100	4	•24	$\frac{3\frac{5}{12}}{}$	62	22	53	17	9	I

Schedule Number.	Disease	Number of Cases.	Average Age.	Number Married.
267 271 272 273 274 275 276 277 278 281 282 283 284 286 291 293 300 302 303 304 307	Cervical laceration	OBSTET 290 37 94 5 17 24 75 42 56 2 170 4 109 4 6 5 4 3 6 7 21	RIC AND 33 45 44 45 45 46 52 22 29 28 30 37 29 33 49 48 43	OTHER 283 37 91 5 17 24 73 42 54 1 154 3 102 4 6 5 3 6 6
308 310 316 319	C. DIS Chlorosis Anaemia, secondary Thrombosis femoral vein Pulmonary embolism	EASES I 5 I 2	OUTWI 36 34 34 49	TH THE 4 1 2

V 1.									
	Pare	ous		cases in ion	per of al.	cases in was	cases in ditional esent.	cases in dditional present.	ths.*
Percentage.	Average Number of Children.	Average Number of Miscarriages.	Average Number of years since last Pregnancy.	Number of cas which operation was performed.	Average Number days in Hospital.	Number of cawhich lesion was primary.	Number of cases in which one additional lesion was present.	Number of cases in which two additional lesions were present.	Number of Deaths.*
Injuri	es, Etc.	—Cont	d.						
100 100	3 5 4	·62 ·46 ·55	$4\frac{4}{12}$ II $9\frac{1}{2}$	290 34 93	19 20 22	165 26 73	135 20 31	67 4 6	I
100	5	•2	$\mathtt{II}_{\overline{1}}^{\underline{1}}{}_{\overline{2}}^{\underline{0}}$	5	28	5	I	I	• • •
100 100 99 100 96 50 84	4 5 . 5 . 5 . 5	.53 .3 .47 .64 .57 	$7\frac{\frac{9}{12}}{12}$ $12\frac{3}{12}$ 11 $12\frac{1}{12}$ $15\frac{1}{12}$ $\frac{7}{12}$ $4\frac{4}{12}$	17 24 74 42 50 1 166	24 18 24 22 26 14 18	11 21 63 20 53 2 132	7 6 23 19 9 78	1 6 10 2 1 40	 I I 2
75 82 100 100 100 75 100 100	2 3 3 5 2 4 4 4 5	·33 ·71 ·25 ·67 · ·67 ·33 ·67 ·4	$4\frac{10}{12}$ $3\frac{8}{12}$ $3\frac{8}{12}$ $4\frac{10}{12}$ $1\frac{3}{12}$ $3\frac{6}{12}$ $14\frac{8}{12}$ $14\frac{4}{12}$ $17\frac{6}{12}$	2 105 3 4 5 4 3 6 7	13 20 5 23 20 28 18 25 32	4 76 4 6 4 3 5 6	 47 I I 3	24 I I	 I I I
95	4	.3	$9\frac{9}{12}$	20	22	16	6	I	•••
GENIT 100 60 100 100	AL AN I 4 2 4	D UR33 I	INARY 6 10 $13\frac{\frac{6}{12}}{12}$	TRAC 3 1 2	TS. 5 19 32 43	I I 	 3 I	 I I	•••

					IADLE
Schedule Number.	Disease.		Number of Cases.	Average Age.	Number Married.
326 327 329 331 334 335 337 338 339 340 344 347 350 352 354 356 357 359 360 362 364 365 363 371 372 373	Myocardial degeneration Valvular disease of heart Bronchitis Pneumonia	ary	45	49 39 51 42 32 42 47 31 44 27 30 29 41 50 45 46 30 36 33 49 54 56 49 27 37	3 2 3 2 2 4 2 2 1 2 32 1 8 142 5 2 1 2 2 33
374 375 376	Normal pregnancy No appreciable disease No diagnosis supplied		NDITIO 60 264 18	NS NOT 31 31 38	57 196 15

V1.									
	Parc	ous		ss in	r of L	s in	s in onal	cases in lditional present.	1S.*
Percentage.	Average Number of Children.	Average Number of Miscarriages.	Average Number of years since last Pregnancy.	Number of cases which operation was performed.	Average Number days in Hospital.	Number of cases which lesion was primary.	Number of cases ir which one additional lesion was present.	Number of cases in which two additional lesions were present.	Number of Deaths.*
100 50 100 50 67 75 67 50 100 100 100 100 100 56 72 100 50 100 67 67	5 3 6 2 46 6 4 3 1 4 3 2 2 3 3 5 3 6 3	·67 I·33 I	$ \begin{array}{c} 11\frac{4}{12} \\ 4 \\ 17\frac{2}{12} \\ 3 \\ \dots \\ 10\frac{10}{12} \\ 14\frac{8}{12} \\ 9 \\ 14 \\ \dots \\ 2 \\ 1\frac{1}{12} \\ 10\frac{4}{12} \\ 12 \\ 12 \\ 12 \\ 12 \\ 12 \\ 12 \\ 13\frac{9}{12} \\ 16 \\ \dots \\ 5\frac{8}{12} \\ 5\frac{8}{12} \\ 19\frac{1}{12} \\ 23 \\ 10 \\ 9\frac{6}{12} \\ \dots \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10$	I I I 2 2 2 I I 32 I 2 I 1 9 172 4 I I I	10 11 11 7 3 12 11 7 18 3 4 26 17 21 20 25 51 22 21 28 23 32 10 4	I 2 I I 2 I I 2 I I 7 63 5 2 3	I I 3 2 I I7 I7 I I I I I I I	3 2 I 9 1 60 	3 I 2 I
62	5	.5	$8_{1\frac{7}{2}}$	25	12	31	3	6	2:
IFIAB 100 50 33			$ \begin{array}{c c} A, & B, \\ 2\frac{5}{12} \\ 5\frac{10}{12} \\ 12\frac{7}{12} \end{array} $	OR C. 9 195 3	8 9 8	51 264 18	II	•••	•••

TABLE VII.


A brief summary of each fatal case is given in the following table.

- 1. Aged 50. Multiple fibromyomata of uterus, subtotal hysterectomy and bilateral salpingo-oophorectomy. Death from heart failure on seventh day.
- 2. Aged 68. Chronic subinvolution, vaginal hysterectomy. Death from embolism on seventh day.
- 3. Aged 52. Multiple fibromyomata of uterus, subtotal hysterectomy. Death during operation.*
- 4. Aged 40. Chronic metritis, vaginal hysterectomy. Death from sepsis on fourth day.
- 5. Aged 50. Lacerated cervix and lacerated perineum, trachelorrhaphy and colpo-perineorrhaphy. Death from embolism on eleventh day.
- 6. Aged 30. Chronic appendicitis and cystic ovaries, appendicectomy and bilateral salpingo-oophorectomy. Death from sepsis on third day.
- 7. Aged 53. Exploratory laparotomy. Death from heart failure on first day.
- 8. Aged 24. Bilateral tuberculous salpingitis, bilateral salpingectomy. Death from sepsis on third day.
- 9. Aged 30. Retroversion of uterus, round ligament suspension. Death from pneumonia on thirteenth day.*
- 10. Aged 50. Carcinoma of ovaries, bilateral salpingooophorectomy. Death from heart failure on fifteenth day.
- 11. Aged 46. Multiple fibromyomata of uterus, subtotal hysterectomy and bilateral salpingo-oophorectomy. Death from heart failure on first day.

- 12. Aged 42. Pseudomucinous cystoma of ovary and cardiac valvular disease with decompensation, no operation was performed. Death on day following admission to hospital.*
- 13. Aged 49. Hydatidiform mole, spontaneous abortion. Death from B. Welchii septicaemia three hours after delivery.*
- 14. Aged 27. Encysted pelvic peritonitis, laparotomy and drainage. Death from sepsis on sixth day.
- 15. Aged 40. Cystocele and laceration of perineum, anterior colporrhaphy and colpo-perineorrhaphy. Death from embolism on twenty-fifth day.
- 16. Aged 67. Recurrence of carcinoma of body of uterus, total hysterectomy ten years previously, no operation was performed. Death seven days after admission to hospital.
- 17. Aged 41. Inoperable carcinoma of cervix, radium. Death on fifth day.
- 18. Aged 27. Ruptured tubal pregancy, moribund on admission no operation performed.
- 19. Aged 34. Chronic salpingo-oophoritis, bilateral salpingo-oophorectomy and subtotal hysterectomy. Death from sepsis on second day.
- 20. Aged 36. Multiple fibromyomata of uterus, subtotal hysterectomy. Death from heart failure on fourth day.
- 21. Aged 57. Umbilical hernia, Mayo's operation. Death from heart failure on fifth day.
- 22. Aged 19. Complete uterine prolapse, amputation of cervix and colpo-perineorrhaphy. Death from heart failure on eighteenth day.
- 23. Aged 41. Inoperable carcinoma of cervix, radium. Death on nineteenth day.

- 24. Aged 68. Carcinoma of vulva, radium. Death on tenth day.
- 25. Aged 44. Multiple fibromyomata of uterus and bilateral pyosalpinx, total hysterectomy and bilateral salpingo-oophorectomy. Death from sepsis on seventh day.
- 26. Aged 42. Carcinoma of ovaries obstructing bowel, bilateral oophorectomy and colostomy. Death on third day.
- 27. Aged 40. Chronic subinvolution chronic appendicitis and cystic right ovary, subtotal hysterectomy appendicectomy and right salpingo-oophorectomy. Death from paralytic ileus and heart failure on sixth day.*
- 28. Aged 25. Retroversion of uterus and chronic appendicitis, round ligament suspension and appendicectomy. Death during operation.*
- 29. Aged 38. Appendix abscess obstructing bowel, drainage and enterostomy. Death on twentieth day.*
- 30. Aged 47. Chronic metritis and incomplete prolapse of uterus, vaginal hysterectomy anterior colporrhaphy and colpoperineorrhaphy. Death from septicaemia on ninth day.
- 31. Aged 46. Complete perineal laceration, repair of sphincter and perineum. Death from embolism on thirteenth day.
- 32. Aged 45. Bilateral tuberculous salpingitis, bilateral salpingo-oophorectomy and subtotal hysterectomy. Death from peritonitis on seventh day.
- 33. Aged 64. Complete uterine prolapse, anterior colporrhaphy amputation of cervix and colpo-perineorrhaphy. Death from cystitis and peritonitis on eighth day.*

- 34. Aged 61. Carcinoma of body of uterus, total hysterectomy and bilateral salpingo-oophorectomy. Death from paralytic obstruction on fifth day.
- 35. Aged 40. Teratomatous cyst of ovary, salpingooophorectomy. Death from heart failure on fourth day.
- 36. Aged 38. Chronic appendicitis and cystic right ovary, appendicectomy and right salpingo-oophorectomy. Death from heart failure on fourth day.
- 37. Aged 43. Carcinoma of left ovary, left salpingooophorectomy. Death from heart failure on eighth day.
- 38. Aged 53. Pneumonia. Death on day of admission to hospital.
- 39. Aged 52. Laceration of cervix, cystocele and rectocele, trachelorrhaphy, anterior colporrhaphy and colpo-perineorrhaphy. Death from embolism on nineteenth day.
- * A port-mortem was performed in cases marked with an asterisk.



Royal Samaritan Hospital for Momen, Glasgow.

TELEPHONE: CENTRAL 5563

T. MASON MACQUAKER, M.A., B.L. Secretary and Treasurer.

Office--

191 WEST GEORGE STREET.

With the Secretary and Treasurers' Compliments

